



DAL

Lubricador 1000 ~ 5000

Serie DAL

Lubricador 1000 ~ 5000



Codificación

DA	L	4000	04
I	I	I	I
Serie	Función	Especificación	Rosca
DAL3000-03	Lubricador	1000	M5: M5 x 0.8
		2000	02: G1/4"
		3000	03: G3/8"
		4000	04: G1/2"
		5000	06: G3/4"
			10: G1"

Especificación


Modelo	DAL1000-M5	DAL2000-02	DAL3000-03	DAL4000-04	DAL4000-06	DAL5000-10
Caudal (l/min)	95	800	1700	5000	6300	7000
Rosca	M5	1/4	3/8	1/2	3/4	1
Presión máxima de entrada	10 Bar					
Rango de temperatura de operación	5 ~ 60 °C					
Lubricador recomendado	0 ~ 7 Bar	ISO VG 32				
Material del recipiente	Policarbonato					
Revestimiento del vaso	Indisponible		Hierro			

Serie DAL


Lubricador 1000 ~ 5000

Dimensión general

DAL1000~DAL5000



Simbología



Dimensiones

Modelo	Díám.	A	B	C	D
DAL1000-M5	M5	81.5	25.5	25	-
DAL2000-02	1/4	126.5	45.5	40	40
DAL3000-03	3/8	142	38	53	53
DAL4000-04	1/2	177	41	70	70
DAL4000-06	3/4	177	39	70	70
DAL5000-10	1	254	45	90	90