



DAW

Filtro y Regulador 1000 ~ 5000

Serie DAW

Filtro y Regulador 1000 ~ 5000



Codificación

DA	W	4000	04	D
I	I	I	I	I
Serie	Función	Especificación	Rosca	Tipo de drenaje
DA, HNA: Vaso de aluminio	Filtro y Regulador	1000	M5: M5 x 0.8	N/A: Semi-automático
		2000	02: G1/4"	
		3000	03: G3/8"	D: Palanca de drenaje automático
		4000	04: G1/2"	
		5000	06: G3/4"	
			10: G1"	

Especificación


Modelo	DAW1000-M5	DAW2000-02	DAW3000-03	DAW4000-04	DAW4000-06	DAW5000-10
Caudal (l/min)	100	550	2000	4000	4500	5000
Rosca	M5	1/4	3/8	1/2	3/4	1
Precisión del filtro	25 µm					
Presión máxima de entrada	10 Bar					
Rango de ajuste de presión	0 ~ 7 Bar	0 ~ 8 Bar				
Rango de temperatura de operación	5 ~ 60 °C					
Material del recipiente	Policarbonato					
Revestimiento del vaso	Indisponible		Hierro			
Función de drenaje	Drenaje diferencial	Drenaje semiautomático, drenaje automático				
Tipo de válvula	Con filtrado					

Serie DAW


Filtro y Regulador 1000 ~ 5000

Dimensión general

DAW1000~DAW5000



Simbología



Dimensión

Modelo	Díam.	A	B	C	D	E
DAW1000-M5	M5	109.5	50.5	25	28	28
DAW2000-02	1/8 - 1/4	158 (180)	73	40	40	34
DAW3000-03	1/4 - 3/8	211	92.5	53	53	40
DAW4000-04	3/8 - 1/2	262	112	70	70	54
DAW4000-06	3/4	267	114	70	70	54
DAW5000-10	3/4 - 1	338	116	90	90	54